
State of Alaska Department of Fish and Game Nomination for Waters Important to Anadromous Fish

Backup For Office Use Regio AWC F Spawning at this water body ages observed; sa wing location of mo	Rearing vis important for to impling methods, outh and observe	Local name	and area sampled; ach species, as
For Office Use Regio AWC F Spawning This water body ages observed; sa wing location of methes observed as second control of the control o	Project Biologist Drafted MATION Rearing vis important for to impling methods, outh and observe	Migration he spawning, rearing sampling duration and upper extent of extent	Date Date Anadromous Anadromous and area sampled; ach species, as
For Office Use Regio AWC F Regio AWC F Spawning The state of the	Project Biologist Drafted MATION Rearing vis important for to impling methods, outh and observe	Migration he spawning, rearing sampling duration and upper extent of extent	Date Date Date Anadromous Anadromous ang or migration of and area sampled; ach species, as
AWC F AWC F ERVATION INFORM Spawning mat this water body ages observed; sa wing location of mothes observed as si	Project Biologist Project Biolo	Migration he spawning, rearing sampling duration and upper extent of extent	Date Date Date Date Anadromous Anadromous ang or migration of and area sampled; ach species, as
AWC F AWC F REVATION INFORM Spawning at this water body ages observed; sa wing location of mothes observed as se	Project Biologist Project Biolo	Migration he spawning, rearing sampling duration and upper extent of extent	Date Date Date Date Anadromous Anadromous ang or migration of and area sampled; ach species, as
AWC F AWC F REVATION INFORM Spawning at this water body ages observed; sa wing location of mothes observed as se	Project Biologist Project Biolo	he spawning, rearing sampling duration and upper extent of e	Date Bloo Date Anadromous ang or migration of and area sampled, ach species, as
ERVATION INFORM Spawning mat this water body ages observed; sa wing location of me ches observed as s	Drafted MATION Rearing vis important for to impling methods, outh and observe	he spawning, rearing sampling duration and upper extent of e	Anadromous Anadromous ong or migration of and area sampled ach species, as
ERVATION INFORM Spawning mat this water body ages observed; sa wing location of me ches observed as s	Drafted MATION Rearing vis important for to impling methods, outh and observe	he spawning, rearing sampling duration and upper extent of e	Anadromous Anadromous ong or migration of and area sampled ach species, as
spawning at this water body ages observed; sa wing location of mothes observed as	MATION Rearing vis important for to impling methods, outh and observe	he spawning, rearing sampling duration and upper extent of e	Anadromous ng or migration of and area sampled ach species, as
spawning at this water body ages observed; sa wing location of mothes observed as	MATION Rearing vis important for to impling methods, outh and observe	he spawning, rearing sampling duration and upper extent of e	Anadromous ng or migration of and area sampled ach species, as
spawning at this water body ages observed; sa wing location of mothes observed as	Rearing vis important for to impling methods, outh and observe	he spawning, rearing sampling duration and upper extent of e	ng or migration of and area sampled ach species, as
nat this water body ages observed; sa wing location of mo	v is important for to impling methods, outh and observe	he spawning, rearing sampling duration and upper extent of e	ng or migration of and area sampled ach species, as
ages observed; sa wing location of mo thes observed as	mpling methods, outh and observe	sampling duration and upper extent of e	and area sampled ach species, as
ages observed; sa wing location of mo thes observed as	mpling methods, outh and observe	sampling duration and upper extent of e	and area sampled ach species, as
ages observed; sa wing location of mo thes observed as	mpling methods, outh and observe	sampling duration and upper extent of e	and area sampled ach species, as
ages observed; sa wing location of mo thes observed as	mpling methods, outh and observe	sampling duration and upper extent of e	and area sampled ach species, as
ages observed; sa wing location of mo thes observed as	mpling methods, outh and observe	sampling duration and upper extent of e	and area sampled ach species, as
ages observed; sa wing location of mo thes observed as	mpling methods, outh and observe	sampling duration and upper extent of e	and area sampled ach species, as
' 41.0" or -159.9113 159° 55' 39.8" or -15			
		ALASK	A DEPT. OF
		FISH	& GAME
		SEF	3 0 1929
		RI	EGION II
			ND RESTORATION
ortant for opawilli			
ortant for Spawnin			Revision 7/93
			SEF RISH

Regional (Blackburn's) database 19 August, 1999.

Stream: West Bay-NE Bight-Nagai Island; 282-2009

			Species			40	
Date	Observer	Location Visibility	Chinook	Sockeye	Coho	Pink	Chum Observer Remarks
Stream: \	Nest Bay-NF Bigh	nt-Nagai Island; 282-20	09				
Otream. v	Vest Bay IVE Bigi	it Hagai Iolana, 202 20					
09/14/19	98	Stream E	0	0	0	170	0 LOCATED IN WESTERN BAY OF NORTHEAST BIGHT ON NAGAI
	Witteveen	Mouth E	0	0	0	0	0 0 ISLAND. ALSO SAW 70 CARCASSES.
		Bay E	0	0	0	0	0 0



Map of Northeast Bight of Nagai Island in the Shumagin Islands.

State of Alaska Department of Fish and Game Nomination for Waters Important to Anadromous Fish

AWC Volume SE	E SC <u>SW</u> W	AR IN	USGS Quad	Stepovak Bay	A-6 T585 Sec. 22
Anadromous Water C	Catalog Number of Water	way		H 70 CO	1385 Sec. 22
Name of Waterway		USGS	name	Local name	Northeast Bight
Addition X	Deletion Co	prrection	Backup Information		
		For Office I	Use		
Nomination #	99 080)			
Revision Year:	11/1	_ R	egional Supervisor		Date
Revision to: Atl	as Catalog				
	Both //	AV	VC Project Biologist		Date
Revision Code:	F-4	-		<u> </u>	
			Drafted		Date
		OBSERVATION INF		T	
Species	Date(s) Ob		ing Rearing	Migration	Anadromous
Pink Salmon	09/14/98	170 X			X
			A Branch Commence		
and area sampled; extent of each spechabitat; locations, to Comments:		tc. Attach a copy of a reformation such as: spery barriers; etc.	map showing location cific stream reaches	n of mouth and o observed as spa ment. ADF&G pe	observed upper awning or rearing ersonnel observed 170 spawning
THE PROPERTY OF THE PROPERTY OF THE PARTY OF		Imon carcasses. ADF&C	G has assigned #282-2	20.09 to this strear	m, which is located in Northeast
Big	ght on Nagai Island.			-	
			- Andrews		
					ALASKA DEPT. OF
Name of Observer (p	aloggo print)	Mark J. Witteveen			FISH & GAME
		Walk J. Willeveell	OCT 2 3 1998		
Date: October 2	Address:	c/o ADF&G	ner		REGION II
	Address.	211 Mission Road; Kodiak, Alaska 99615			HABITAT AND RESTORAT
	n my best professional j in or deleted from the 0 05.870.				
Signatlitte Alf Artemitic	namet: Ker	Campbell			Povision 7/02

